A decorative border of small yellow stars surrounds the entire page. The stars are arranged in a rectangular frame, with a single row of stars along each edge.

Resource Guide to the
Arkansas Curriculum
Framework for Students with
Disabilities for Ninth Grade
Mathematics

Summer 2005

Purpose and Process

The Individuals with Disabilities Education Act and No Child Left Behind mandates that schools provide access to the general education curriculum for all students receiving special education services. In recognizing the challenge of providing opportunities for students with disabilities to access general education curriculum, it is the desire of the Arkansas Department of Education to assist educators with this process. The goal is to assist school personnel who serve children with disabilities in conceptualizing, planning, and implementing activities that are aligned to the Arkansas Curriculum Framework.

The following document contains ideas for linking activities to the same mathematics framework used for the general education curriculum. When selecting appropriate activities, decisions must be based on individual student needs and abilities. Collaboration with math personnel will provide assistance in linking math curriculum with the state framework. The Arkansas Alternate Portfolio Assessment must have alignment to the Arkansas Curriculum Framework. The Ninth Grade Math Portfolio Assessment for Students with Disabilities must align with the same content standards used by other ninth grade students, which are Algebra I and Geometry.

Mathematics Curriculum Framework

Algebra Content Standards

Language of Algebra

Solving Equations and Inequalities

Linear Functions

Non-linear Functions

Data Interpretation and Probability

Geometry Content Standards

Language of Geometry

Triangles

Measurement

Relationships between two- and three- dimensions

Coordinate Geometry and Transformations

In June 2005, the Arkansas Department of Education convened a task force of general education mathematics teachers, teachers of students with disabilities and administrators to collaborate and develop the following resource guide to be used to help with the process of developing the 9th grade portfolio assessment for students with disabilities not accessing Algebra I or Geometry or any equivalent course.

This publication includes selected student learning expectations from the Algebra I and Geometry Arkansas Mathematics Curriculum Framework. It also uses a matrix visual organizer to provide several sample activities that demonstrate alignment from least complex activities to more complex activities. Teachers on the committee discussed the specific student learning expectation to determine the basic learning needed to find the essence of the learning. Using the essence of the student learning expectation, different levels of complexity of the learning were written for students to have access to the same content standards.


Although this publication is not intended for generating specific test item activities for the Arkansas Alternate Portfolio System for Students with Disabilities, its purpose is to provide educators in Arkansas with a process for determining alignment between models of education that have been to some extent separate. Using the activities as idea starters, the educators can then individualize and develop specific activities that align with the education program, demonstrate performance of skills, and document educational opportunities. The members of the committee do not intend this publication to be used as a checklist, a menu of alternate assessment “test activities or items”, or as IEP goals and objectives.


COMMITTEE MEMBERS

<i>Algebra and Geometry Educators</i>	<i>Special Educators</i>
Angelia Carlton, Biggers/Corning School District	Connie Short, El Dorado School District
Eric Holloway, Stuttgart School District	Dana Daniel, Beebe School District
Fran McDonald, Armored School District	Denise Nesbitt, Little Rock School District
Gary Punchard, Wickes School District	Gladys Young, Warren School District
Gerrie Appleberry, Dumas School District	Jackie Kelley, Hope School District
Kristin Matthews, Sloan Hendrix School District	Janie Noisewater, Mountainburg School District
Rose Ehrhardt, Jackson County School District	Kaci Crews, Springdale School District
Terry Johnson, Eudora School District	Kathryn Hunt, Clinton School District
Will Riley, Rogers School District	Lela Marsolf, Mountainview School District
	Martin Estes, LEA Supervisor of Cave City School District
	Rhonda Cochran, LEA Supervisor of Benton School District
	Sarah McConney, Helena-West Helena School District
	Wendy Ruggeri, White Hall School District

Algebra I Section


Strand	Content Standard
Language of Algebra	
	1. Students will develop the language of algebra including specialized vocabulary, symbols, and operations.
Solving Equations and Inequalities	
	2. Students will write, with and without appropriate technology, equivalent forms of equations, inequalities and systems of equations and solve with fluency.
Linear Functions	
	3. Students will analyze functions by investigating rates of change, intercepts, and zeros.
Non-linear Functions	
	4. Students will compare the properties in the family of functions.
Data Interpretation and Probability	
	5. Students will compare various methods of reporting data to make inferences or predictions.


Language of Algebra	Content Standard 1: Students will develop the language of algebra including specialized vocabulary, symbols, and operations.				
Student Learning Expectation	Essence of Student Learning Expectation	Less Complex  More Complex			
LA.1.AI.1 Evaluate <i>algebraic expressions</i> , including radicals, by applying the order of operations	Combine things to get a desired result The teacher sets up a situation or problem to show that using a different order of operations may give a different result	Follow a sequence of tasks or directions Examples: follow steps in a recipe, schedules, using a vending machine, laundry skills, hand washing, etc.	Evaluate simple algebraic expressions using one type of operation (add, subtract, multiply, divide) Examples: adding a grocery list, making change, purchasing a multiple item, creating a budget	Evaluate simple algebraic expressions using one type of operation Examples: perimeter, circumference, area, distance, gross pay, price per pound	Evaluate simple algebraic expressions involving two or more operations Examples: length of a fence to surround a pool, amount of carpet needed for a room, pay in a pay period, renting a car, hiring a plumber
LA.1.AI.2 Translate word phrases and sentences into <i>expressions, equations, and inequalities</i> , and vice versa	Take real world problems and state them in a mathematical problem	Recognize that some things don't change Examples: 24 hours in a day, 12 inches in a foot, 4 quarters in a dollar, a cup of flour, student name, birthday, days of the week, month of the year, etc.	Recognize that things can change Examples: schedules, food choices, weather, prices)	Use words to express the problem using real world situations Examples: 3 pair of jeans at \$20.00 each = total cost You bought 4 pair of jeans for \$120.00. How much is one pair?	Write a real world problem using symbols Examples: $3 \bullet 20 = C$ $\bullet = \text{multiply}$ $4x = 120$


Language of Algebra	Content Standard 1: Students will develop the language of algebra including specialized vocabulary, symbols, and operations.				
Student Learning Expectation	Essence of Student Learning Expectation	Less Complex  More Complex			
LA.1.AI.4 Solve problems involving <i>scientific notation</i>	Recognize the magnitude of numbers.	Demonstrate an understanding of powers of ten using manipulatives Examples: sets of pencils, base ten blocks, collate papers, stacking money	Compare powers of 10 using manipulative (10s versus 100s)E Examples: base ten blocks, money, aluminum cans	Recognize scientific notation numbers Examples: ($1 \times 10^3 = 1000$) ($2.3 \times 10^2 = 230$)	Convert between scientific notation and standard form using technology.

Solving Equations and Inequalities	Content Standard 2: Students will write, with and without appropriate technology, equivalent forms of equations, inequalities and systems of equations and solve with fluency.				
<i>Student Learning Expectation</i>	<i>Essence of Student Learning Expectation</i>	Less Complex More Complex			
SEI.2.AI.1 Solve multi-step equations and inequalities with rational <i>coefficients</i> <ul style="list-style-type: none"> • numerically (from a table or guess and check) • algebraically (including the use of manipulatives) • graphically • technologically 	Find the value of the variable. Solve the problem.	Recognize that you need more of something to complete a task Examples: Decide how many more napkins needed to set a table for six, how much detergent needed, doubling or halving a recipe, how much more money needed Guess and check (substitution)	Solve equations using manipulatives and guess and check (substitution) Use pictures to solve equations (draw pictures of the manipulatives)	Identify parts of the equation Identify integers Identify the steps needed to solve the equation	Solve equations Examples $(X + 2 = 14)$ $(X/2 - 4 = 10)$
SEI.2.AI.5 Solve real world problems that involve a combination of rates, <i>proportions</i> and percents	Solve real world problems involving comparisons of two things and proportional reasoning skills	Compare two items Examples: forks to spoons, washcloths to towels, boys to girls, big to little, etc.	Write or show a ratio or percent using manipulatives Examples: Using counters, candies, etc., three blue to two red, 3:2, . . . 3 out of 4 is 75%)	Reduce fractions to find ratios Find a percent given a fraction or decimal Examples: Express 20% off an item as a decimal and/ or a fraction	Solve problems using rates, proportions, and percents Examples: miles per gallon, miles per hour, calories per serving, part to whole-[percent], finding discounts, sales tax


Solving Equations and Inequalities	Content Standard 2: Students will write, with and without appropriate technology, equivalent forms of equations, inequalities and systems of equations and solve with fluency.				
<i>Student Learning Expectation</i>	<i>Essence of Student Learning Expectation</i>	Less Complex More Complex			
SEI.2.AI.7 Use coordinate geometry to represent and/or solve problems (midpoint, length of a line segment, and <i>Pythagorean Theorem</i>)	Find locations and distances between locations	Locate items. Examples: <i>Finding items in the classroom/campus, following directions</i> <i>Student follows oral and/or visual directions with prompts (3 right, 2 up)</i>	Find the distance from one place to another using customary or non-customary units. Find midpoint using physical objects Examples: <i>folding washcloths to find the midpoint, counting steps from classroom to bathroom, etc.</i>	Count the distance from place to place using a grid and/or map Examples: <i>This could be done through the use of a number line, tile floor, graph paper, etc.</i>	Locate longitude and latitude Compute the distance from place to place using a grid and/or map using ordered pairs Examples: <i>(x,y)- ordered pair (3,2)</i>
SEI.2.AI.8 Communicate real world problems graphically, algebraically, numerically and verbally	Use graphs, charts, numbers, and words to express equations	Recognize that a request generates a result Examples: <i>choice boards: job chart, kitchen chart, recreation/leisure chart, using PEC symbols to make a request</i>	Represent a simple problem in various forms Examples: <i>Adding or subtracting on a number line, draw a pictorial representation</i>	Construct a chart or table from a problem Examples: <i>making an entry and calculating a balance in a checkbook, create a table converting F° to C°</i>	Interpret the problem to write, to chart, and to graph life skill activities Examples: <i>Student works 15 hours and the student will receive \$10.00 an hour</i>

Linear Functions	Content Standard 3: Students will analyze functions by investigating rates of change, intercepts, and zeros.				
Student Learning Expectation	Essence of Student Learning Expectation	Less Complex  More Complex			
LF.3.AI.1 Distinguish between <i>functions</i> and non- <i>functions/relations</i> by inspecting graphs, ordered pairs, <i>mapping diagrams</i> and/or <i>tables</i> of data	Recognize the functions stay the same and non-functions change A function has one output for each input	Recognize an input and an output. (<i>cause and effect, money in soda machine= soda, activate switch= music</i>)	Recognize an input generates exactly one output (function) (1 coin gets 1 gumball, 1 push on dispenser gets 1 squirt of soap, completing 3 activities gets 1 reward)	Recognize an input generates multiple outputs. (non function) (50 cents gets your choice of soda, juice, or water.)	Distinguish between functions and non-functions. Combine examples from function and non-function boxes.
LF.3.AI.4 Identify <i>independent variables</i> and <i>dependent variables</i> in various representational modes: words, symbols, and/or graphs	Understand the input (independent) and the output (dependent)	Recognize the independent variables- - what is needed to obtain the desired result (key is needed for a lock) Examples: Match to sample coins for a vending machine, using objects or picture symbols to request an item, switch activity	Recognize the dependent variable-- the desired result (the opened lock) Examples: final product of any activity: a cooked pizza or prepared snack, folded laundry, a clean table, collated papers, water coming from fountain, item retrieved from a vending machine, a sharpened pencil, etc.)	Provide input (independent variables) to obtain output (dependent variable) This is a combination of level one and two Complete an activity to get a result Examples: powdered drink mix, paycheck for attendance, appropriate behavior equals reward)	Recognize the dependent and independent variables from a variety of activities Examples: 50 cents is put into a machine to get a drink, the student needs to recognize which is the dependent and independent variable Amount of savings = interest earned, number of concert goers= gate receipts, number of candy bars eaten= number of calories, weight of a letter= cost to mail it)

Linear Functions	Content Standard 3: Students will analyze functions by investigating rates of change, intercepts, and zeros.				
Student Learning Expectation	Essence of Student Learning Expectation	Less Complex → More Complex			
LF.3.AI.5 Interpret the rate of change/ <i>slope</i> and intercepts within the context of everyday life (Ex. telephone charges based on base rate (<i>y-intercept</i>) plus rate per minute (slope))	Interpret the rate of change within the context of everyday life	Recognize concepts of more & less, increasing, decreasing and constant Examples: Comparing groups of objects such as two piles of laundry, amount of popcorn in two different bowls, double burger versus a single burger, etc. Number line activities	Find the rate of change Example: Earns \$8.00 per hour, works 5 hours	Express the meaning of the rate of change. Examples: utility base rates, telephone rates, rentals [cars/movies], late fees	Graph suitable units when describing rate of change. Example: 

Non-linear Functions	Content Standard 4: Students will compare the properties in the family of functions.				
Student Learning Expectation	Essence of Student Learning Expectation	Less Complex → More Complex			
NLF.4.AI.2 Determine <i>minimum, maximum, vertex, and zeros</i> , given the graph	Recognize characteristics of graphs where things are not changing at a constant rate.	Show the lowest and highest point of the graph using manipulatives/ concrete objects Examples: tallest, shortest- line students up and ask who is the shortest or tallest	Identify the lowest and highest point of the graph using paper models Examples: coldest/warmest, most/least, top/bottom	Given one coordinate, find the other coordinate. Examples: high/low-Which day was the warmest/coldest?) daily temperature, mountain ranges	Interpret points on a graph. Examples: Daily checkbook balance- [June 1 st , \$370.00], mountain ranges- high point, low point)
NLF.4.AI.4 Recognize function families and their connections including <i>vertical shift</i> and <i>reflection</i> over the <i>x-axis</i> <ul style="list-style-type: none"> • quadratics • <i>absolute value</i> • <i>exponential functions</i> 	Understands reflection and shift Recognize that something has shifted a certain amount	Demonstrate a vertical shift (change) using manipulatives with a grid Examples: Use a place setting template, move plate or cup forward or back, teenage games on a checkerboard, P.E. games, etc.,	Choose the visual model that shows the vertical shift and/or reflection Examples: Given two choices, identify the picture that shows a shift and/or reflection of the original  (Shift is the placement on the table, NOT the place setting)	Given two sets of data, create the graph, and recognize the graphs are reflections (mirror image) Examples: Using a visual model, arrange the room or an area according to the model, stacking books by one shelf up or down	Create the graph and recognize the vertical change given two tables of data Examples: Day One- hourly temperatures and Day Two-hourly temperatures, gas prices from week to week

Data Interpretation and Probability	Content Standard 5: Students will compare various methods of reporting data to make inferences or predictions.																										
<i>Student Learning Expectation</i>	<i>Essence of Student Learning Expectation</i>	Less Complex More Complex																									
DIP.5.A1.3 Construct simple matrices for real life situations	Organize information in a table	Choose activities/ objects from a choice board or communication board/ device Example: Choice board needs to be set up in rows and columns	Sort materials by category Example: collections, hobbies kitchen materials versus bathroom materials, library books on shelves	Use a model to complete missing information in the table Example: <table border="1" data-bbox="1417 552 1627 982"> <thead> <tr> <th>hours worked</th> <th>money earned</th> </tr> </thead> <tbody> <tr><td>1</td><td>\$ 5.00</td></tr> <tr><td>2</td><td>\$10.00</td></tr> <tr><td></td><td>\$15.00</td></tr> <tr><td>4</td><td>\$20.00</td></tr> <tr><td>5</td><td>\$25.00</td></tr> <tr><td>6</td><td>\$30.00</td></tr> <tr><td>7</td><td></td></tr> <tr><td>8</td><td>\$40.00</td></tr> <tr><td>9</td><td>\$45.00</td></tr> <tr><td>10</td><td>\$50.00</td></tr> </tbody> </table>	hours worked	money earned	1	\$ 5.00	2	\$10.00		\$15.00	4	\$20.00	5	\$25.00	6	\$30.00	7		8	\$40.00	9	\$45.00	10	\$50.00	Construct a table.
hours worked	money earned																										
1	\$ 5.00																										
2	\$10.00																										
	\$15.00																										
4	\$20.00																										
5	\$25.00																										
6	\$30.00																										
7																											
8	\$40.00																										
9	\$45.00																										
10	\$50.00																										
DIP.5.A1.4 Determine the effects of changes in the data set on the measures of <i>central tendency</i>	Describe the way that central tendency is affected by adding or removing data.	Identify the central tendency (median and mode) Examples: middle of the line ranked from shortest to tallest[median], more girls or boys in class [mode]	Calculate the central tendency (Select one- mean, median, or mode) Examples: basketball scores, grades, bowling scores, etc.	Calculate the central tendency (mean, median, and mode) Examples: basketball scores, grades, bowling scores, etc.	Adjust the number of pieces of data and recalculate the central tendency Examples: remove a test score and recalculate the average, team basketball average, team free throw average																						

Data Interpretation and Probability	Content Standard 5: Students will compare various methods of reporting data to make inferences or predictions.				
<i>Student Learning Expectation</i>	<i>Essence of Student Learning Expectation</i>	Less Complex  More Complex			
DIP.5.A1.9 Recognize patterns using <i>explicitly</i> defined and <i>recursively</i> defined linear functions	Recognize numerical patterns using an equation (explicitly) or skip counting (recursively).	Engage in completing a pattern given attributes of size, number, color, and/or letter.	Supply the missing element in a pattern Example: 2, __, 6, 8, etc.	Extend the pattern Examples: skip counting, use of monetary units	Construct an input/output table and explain the pattern of a given equation Example: $X+2= Y$

ALGEBRA I Glossary

<i>Absolute value</i>	A number's distance from zero on a number line (The absolute value of -4 is 4; the absolute value of 4 is 4.)
<i>Absolute value equation</i>	Equation whose graph forms a V that opens up or down.
<i>Absolute value inequality</i>	Inequalities involving absolute value
<i>Additive inverse</i>	The opposite of a number (The additive inverse of 3 is -3 . The sum of a number and its additive inverse is zero.)
<i>Algebra</i>	A generalization of arithmetic in which symbols represent members of a specified set of numbers and are related by operations that hold for all numbers in the set
<i>Algebraic expression</i>	An expression that contains a variable Ex. $X - 2$
<i>Algebraic fraction</i>	A fraction that contains a variable
<i>Algorithms</i>	A mechanical procedure for performing a given calculation or solving a problem through step-by-step procedures such as those used in long division
<i>Array</i>	A rectangular arrangement of objects in rows and columns
<i>Associative Property</i>	If three or more numbers are added or multiplied, the numbers can be regrouped without changing the results. Ex. $4 + (6 + 5) = (4 + 6) + 5$
<i>Axis</i>	Either of two number lines used to form a coordinate grid
<i>Bar graph</i>	A graph in which horizontal or vertical bars represent data
<i>Binomial</i>	An expression consisting of two terms connected by a plus or minus sign, such as $4a + 6$
<i>Box-and-whisker plot</i>	A graphic method for showing a summary of data using median, quartiles, and extremes of data (A box-and-whisker plot makes it easy to see where the data are spread out and where they are concentrated. The longer the box, the more the data are spread out.)
<i>Central tendencies</i>	A single number that is used to describe a set of numbers (Ex. mean, median, mode, etc.)
<i>Chance</i>	The probability of an outcome in an uncertain event (Ex. In tossing a coin, there is an equal chance of getting heads or tails.)
<i>Coefficient</i>	The numerical factor when a term has a variable (Ex. In the expression $3x + 2y = 16$, 2 and 3 are coefficients.)
<i>Commutative Property</i>	If two numbers are added or multiplied, the operations can be done in any order. Ex. $4 \times 5 = 5 \times 4$
<i>Composite number</i>	Any integer that is not a prime number (evenly divisible by numbers other than one and itself)
<i>Consecutive</i>	Following one another in an uninterrupted order (Ex. 6, 7, 8, and 9 are consecutive numbers.)
<i>Constant</i>	In an algebraic expression, the number without the variable (Ex. In the expression $2x + 5$, 5 is the constant.)
<i>Coordinate</i>	A set of numbers that locates the position of a point usually represented by (x, y) values
<i>Coordinate system/Cartesian Plane</i>	A method of locating points in the plane or in space by means of numbers (A point in a plane can be located by its distances from both a horizontal and a vertical line called the axes. The horizontal line is called the x-axis. The vertical line is called the y-axis. The pairs of numbers are called ordered pairs. The first number, called the x-coordinate, designates the distance along the horizontal axis. The second number, called the y-coordinate, designates the distance along the vertical axis. The point at which the two axes intersect has the coordinates (0,0) and is called the origin.)
<i>Data</i>	Information gathered by observation, questioning, or measurement
<i>Dependent variable</i>	A variable that provides the output values of a function
<i>Difference</i>	The result of subtraction


<i>Direct variation</i>	A linear function of the form $y = kx$, where k is the constant of variation and k is not equal to zero
<i>Distributive Property</i>	A property that relates two operations on numbers, usually multiplication and addition, or multiplication and subtraction Ex. $a(x + y) = ax + ay$
<i>Domain</i>	The set of all first coordinates from the ordered pairs of a relation
<i>Equation</i>	A mathematical sentence containing an equal sign
<i>Explicit equation</i>	An equation that relates the inputs to the outputs
<i>Exponent</i>	A number showing how many times the base is used as a factor Ex. $3^2 = 3 \times 3$ or 9
<i>Exponential Function</i>	A function in the form of $f(x) = a^x$, where x is a real number, and a is positive and not 1
<i>Expression</i>	A mathematical statement that does not contain an equal sign
<i>Extrapolate</i>	To extend and estimate data based on given information
<i>Factor</i>	Any numbers multiplied by another number to produce a product
<i>Factoring</i>	A method used to solve a quadratic equation that requires using the zero product property (Factoring is a process of rewriting a number or expression as product of two or more numbers or expressions.)
<i>Formulas</i>	Specific equations giving rules for relationships between quantities
<i>Function</i>	A relation in which each member of the domain is paired with one, and only one, member of the range
<i>Function Notation</i>	To write a rule in function notation, you use the symbol $f(x)$ in place of y . (Ex. $f(x) = 3x - 8$ is in functional notation.)
<i>Graph of a function</i>	A pictorial way to display a function
<i>Histogram</i>	A graphic representation of the frequency distribution of a continuous variable (Rectangles are drawn in such a way that their bars lie on a linear scale representing different intervals (bin width), and their heights are proportional to the frequencies of the values within each of the intervals.)
<i>Independent variable</i>	A variable that provides the input values of a function
<i>Inequality</i>	A mathematical statement that one quantity is less than ($<$) or greater than ($>$) another
<i>Inference</i>	Reasoning from data, premises, graphs, and incomplete and inconsistent sources to from sensible conclusions
<i>Integers</i>	The set of whole numbers and their opposites
<i>Interest</i>	Amount paid for the use of money
<i>Interpolate</i>	To interpret and estimate data between given values
<i>Irrational numbers</i>	Real numbers that cannot be expressed in the form a/b (a fraction) where a and b are integers
<i>Inverse variation</i>	A function that can be written in the form $xy = k$ or $y = k/x$ (The product of the quantities remains constant, so as one quantity increases, the other decreases.)
<i>Linear function</i>	A function that has a constant rate of change and can be modeled by a straight line
<i>Line graph</i>	A means of displaying statistical information by connecting graphs of ordered pairs to show changes in quantities
<i>Line of best fit</i>	The most accurate trend line on a scatter plot showing the relationship between two sets of data
<i>Lines</i>	A set of points (x, y) that satisfy the equation $ax + by + c = 0$ where a and b are not both zero
<i>Literal equation</i>	An equation involving two or more variables
<i>Mapping diagram</i>	A diagram that maps an input value to an output value to determine whether a relation is a function (See diagram)
<i>Matrices</i>	Ordered tables or listings of numerical data
<i>Maximum</i>	The greatest value of the function if it has such an extreme value
<i>Mean</i>	The sum of a set of numbers divided by the number of numbers in that set


<i>Median</i>	In a list of data ordered from least to greatest or greatest to least, the middle number or the average of the middle two numbers
<i>Minimum</i>	The least value of the function if it has such an extreme value
<i>Mode</i>	In a list of data, the number or item occurring most frequently
<i>Monomial</i>	An expression that is a number, a variable, or a product of a number and variable (Ex. 7, x and 8xy are all monomials.)
<i>Natural Numbers</i>	One of the numbers 1, 2, 3, 4... also called counting numbers
<i>Number sense</i>	The ability of the learner to make logical connections between new information and previously acquired knowledge to understand the meanings, relationships, and magnitudes of numbers and common measurements
<i>Number Theory</i>	Concepts of numbers such as prime, composite, squares, factors and multiples
<i>Parabola</i>	The graph of a quadratic function
<i>Patterns</i>	Repeated sequences
<i>Perfect Square Trinomial</i>	Any trinomial in the form $a^2 + 2ab + b^2$
<i>Point slope form</i>	A linear equation of a non-vertical line written as $y - y_1 = m(x - x_1)$
<i>Polynomial</i>	In algebra, an expression consisting of two or more terms (Ex. $x^2 - 2xy + y^2$)
<i>Powers</i>	Numbers that can be expressed using exponents
<i>Prime Numbers</i>	A whole number greater than one having exactly two distinct factors, one and itself
<i>Probability</i>	How likely it is that an event will occur (Written formally as P(event))
<i>Proportion</i>	An equation that states that two ratios are equal
<i>Pythagorean Theorem</i>	In a right triangle, the sum of the squares of the length of the legs is equal to the square of the length of the hypotenuse. Ex. $a^2 + b^2 = c^2$
<i>Quadratic formula</i>	The solutions of a quadratic equation of the form $ax^2 + bx + c = 0$ where $a \neq 0$ are given by the quadratic formula which is $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$
<i>Quadratic function</i>	A function that has an equation of the form $y = Ax^2 + Bx + C$ where 'A' does not equal 0
<i>Radicals</i>	A radical symbol ($\sqrt{\quad}$) and its radicand
<i>Radical Equation</i>	An equation that has a variable in a radicand
<i>Radical expression</i>	An expression with a radical in it
<i>Radicand</i>	An expression under the radical sign
<i>Range</i>	The set of all the second coordinates from the set of ordered pairs of a relation
<i>Range (statistics)</i>	The difference between the greatest and least numbers in a set of numerical data
<i>Ratio</i>	A comparison of two numbers, represented in one of the following ways: 2 to 5, 2 out of 5, 2:5, or 2/5
<i>Rational Numbers</i>	A number in the form of an a/b , where a and b are integers and b is not equal to zero
<i>Real Roots</i>	The zeros of an equation that occur at x-intercepts of the graph of the related function
<i>Recursive function</i>	A recursive formula has two parts: the value(s) of the first term(s), and a recursion equation that shows how to find each term from the term(s) before it
<i>Reflection</i>	Mirror image of a figure (Objects remain the same shape, but their positions change through a flip.)
<i>Regression</i>	Statistical technique that predicts the equation that best fits the data
<i>Relation</i>	A set of ordered pairs of data


<i>Scale</i>	The numeric ratio used to produce an enlarged or reduced drawing of a picture or an object
<i>Scalar multiplication</i>	Multiplication of a matrix by a constant (scalar)
<i>Scatter plot</i>	A graph of the points representing a collection of data
<i>Scientific Notation</i>	A means of expressing a number as a product of a number between one and ten and a power of ten Ex. $1100 = 1.1 \times 10^3$
<i>Simultaneous (Systems) Equations</i>	Pair of equations of the first degree upon which two different conditions are put on the same variables at the same time (Ex. Find two numbers whose sum is 7 and whose difference is 1. $x + y = 7$ and $x - y = 1$.)
<i>Slope</i>	The ratio of the vertical change to the horizontal change
<i>Slope-intercept form</i>	A linear equation in the form $y = mx + b$, where m is the slope of the graph of the equation and b is the y -intercept
<i>Square root</i>	That number which, when multiplied by itself, produces the given number (Ex. 5 is the square root of 25, because $5 \times 5 = 25$.)
<i>Standard form of a linear equation</i>	The form of a linear equation $Ax + By = C$ where A , B , and C are real numbers and A and C are not both zero (Ex. $6x - y = 12$)
<i>Standard form of a polynomial</i>	The form of a polynomial in which the degree of the terms decreases from left to right (descending order)
<i>Stem-and-leaf display</i>	A means of organizing data in which certain digits are uses as stems, and the remaining digits are leaves
<i>Table</i>	A display of data, usually arranged in rows and columns
<i>Term</i>	A number, variable, or the product or quotient of a number and one or more variables
<i>Theoretical probabilities</i>	Probabilities determined without performing an experiment
<i>Unit rates</i>	Any fixed amount, quantity, etc., used as a standard
<i>Trinomial</i>	An expression containing three terms connected by a plus or minus sign (Ex. $5x^2 + 3x - 6$)
<i>Units of measure</i>	Inches, meters, pounds, grams, etc.
<i>Variable</i>	A letter that can assume different values
<i>Vertex</i>	The maximum or minimum value of a parabola
<i>Vertical Line Test</i>	A method used to determine if a relation is a function or not (If a vertical line passes through a graph more than once, the graph is not the graph of a function.)
<i>Vertical Shift</i>	Movement of a graph up or down the y -axis
<i>Whole numbers</i>	The set of natural numbers and zero
<i>X-axis</i>	The horizontal axis of a coordinate plane
<i>X-coordinate</i>	The location on the x -axis of a point on the coordinate plane
<i>X-intercept</i>	The x -coordinate of the point where a line crosses the x -axis
<i>Y-axis</i>	The vertical axis of a coordinate plane
<i>Y-coordinate</i>	The location on the y -axis of a point on the coordinate plane
<i>Y-intercept</i>	The y -coordinate of the point where the line crosses the y -axis
<i>Zeros</i>	The x -intercepts of a quadratic equation that crosses the x -axis


Geometry Section


Strand	Content Standard
Language of Geometry	
	1. Students will develop the language of geometry including specialized vocabulary, reasoning, and application of theorems, properties, and postulates.
Triangles	
	2. Students will identify and describe types of triangles and their special segments. They will use logic to apply the properties of congruence, similarity, and inequalities. The students will apply the Pythagorean Theorem and trigonometric ratios to solve problems in real world situations.
Measurement	
	3. Students will measure and compare, while using appropriate formulas, tools, and technology to solve problems dealing with length, perimeter, area and volume.
Relationships between two- and three- dimensions	
	4. Students will analyze characteristics and properties of two- and three-dimensional geometric shapes and develop mathematical arguments about geometric relationships.
Coordinate Geometry and Transformations	
	5. Students will specify locations, apply transformations and describe relationships using coordinate geometry.


Language of Geometry	Content Standard 1. Students will develop the language of geometry including specialized vocabulary, reasoning, and application of theorems, properties, and postulates.				
Student Learning Expectation	Essence of Student Learning Expectation	Less Complex  More Complex			
LG.1.G.1 Define, compare and contrast <i>inductive reasoning</i> and <i>deductive reasoning</i> for making predictions based on real world situations <ul style="list-style-type: none"> • <i>Venn diagrams</i> • <i>matrix logic</i> • <i>conditional statements</i> (statement, <i>inverse</i>, <i>converse</i>, and <i>contrapositive</i>) 	Recognize how items or situations are alike or different and how they categorize or overlap	Separate items by characteristics Examples: Color, size, shape, texture, pattern, etc.	Organize information by using Venn diagrams and matrix logic	Participate in activities involving conditional statements	Define, compare and contrast <i>inductive reasoning</i> and <i>deductive reasoning</i> for making predictions based on real world situations - <i>Venn diagrams</i> - <i>matrix logic</i> - <i>conditional statements</i> (statement, <i>inverse</i> , <i>converse</i> , and <i>contrapositive</i>)
LG.1.G.3 Describe relationships derived from geometric figures or figural patterns	Recognize and/or continue a pattern	Match items to a pattern	Given a model, repeat a pattern	Use a model to determine what comes next in a pattern	Describe relationships derived from geometric figures or figural patterns


Language of Geometry	Content Standard 1. Students will develop the language of geometry including specialized vocabulary, reasoning, and application of theorems, properties, and postulates.				
Student Learning Expectation	Essence of Student Learning Expectation	Less Complex  More Complex			
LG.1.G.4 Apply, with and without appropriate technology, definitions, <i>theorems</i> , properties, and <i>postulates</i> related to such topics as <i>complementary</i> , <i>supplementary</i> , <i>vertical angles</i> , <i>linear pairs</i> , and angles formed by <i>perpendicular</i> lines	Apply the definition of all terms listed in a logical way while also giving examples	Represent the definition by participating in activities using concrete models <i>Examples:</i> cutting a cake, square brownie, candy bar, or pizza	Identify definitions by matching real life pictures and objects to definitions	Demonstrate understanding of definitions by sketching examples of terms	Apply, with and without appropriate technology, definitions, <i>theorems</i> , properties, and <i>postulates</i> related to such topics as <i>complementary</i> , <i>supplementary</i> , <i>vertical angles</i> , <i>linear pairs</i> , and angles formed by <i>perpendicular</i> lines

Triangles	Content Standard 2. Students will identify and describe types of triangles and their special segments. They will use logic to apply the properties of congruence, similarity, and inequalities. The students will apply the Pythagorean Theorem and trigonometric ratios to solve problems in real world situations.				
Student Learning Expectation	Essence of Student Learning Expectation	Less Complex  More Complex			
T.2.G.2 Investigate the measures of segments to determine the existence of triangles (<i>triangle inequality theorem</i>)	Investigate and measure segments to determine the existence of a triangle using trial and error (to see if it works with different lengths)	Recreate a triangle by following a model	Create a triangle by using manipulatives Examples: String, yarn, toothpicks, straws, etc.	Determine if a triangle exists when given three segment measures	Investigate the measures of segments to determine the existence of triangles (<i>triangle inequality theorem</i>)
T.2.G.3 Identify and use the special segments of triangles (<i>altitude, median, angle bisector, perpendicular bisector, and midsegment</i>) to solve problems	Identify special segments inside a given triangle	Demonstrate the special segments by engaging in paper folding activity	Demonstrate the special segments using triangle models	Draw or sketch examples of special segments (by hand or computer software)	Participate in hands on activities Examples: Art class, agriculture class, field trips, etc.
T.2.G.4 Apply the <i>Pythagorean Theorem</i> and its converse in solving practical problems	Find the length of the sides of a right triangle by using the Pythagorean Theorem	Distinguish between a right triangle and other types of triangles	Explore right triangle relationships using physical models	Verify that the Pythagorean Theorem holds true for a given right triangle	Solve practical problems by applying the Pythagorean Theorem Examples: baseball or softball diamond




Measurement	Content Standard 3. Students will measure and compare, while using appropriate formulas, tools, and technology to solve problems dealing with length, perimeter, area and volume.				
<i>Student Learning Expectation</i>	<i>Essence of Student Learning Expectation</i>	Less Complex  More Complex			
M.3.G.1 Calculate probabilities arising in geometric contexts (Ex. Find the probability of hitting a particular ring on a dartboard.)	Recognize the number of favorable outcomes compared to the number of possible outcomes	Recognize differences in given examples such as different colors on a dart board, color wheel, faces on a die, spinner, sides of a coin, or items in a container	Determine how many exists of a certain characteristic in relation to the total number of possibilities <i>Example:</i> the number of red marbles in relation to all marbles in the bag	Demonstrate the probabilities in a fractional form	Convert probabilities to a decimal and then to a percent with or without appropriate technology
M.3.G.2 Apply, using appropriate units, appropriate formulas (<i>area, perimeter, surface area, volume</i>) to solve application problems involving <i>polygons, prisms, pyramids, cones, cylinders, spheres</i> as well as composite figures, expressing solutions in both exact and approximate forms	Being able to differentiate size and compare units (standard and/or nonstandard)	Differentiate larger from smaller <i>Examples: containers, floor space, distance</i>	Compare objects by size <i>Examples: basketball, volleyball, softball, tennis ball, golf ball</i>	Compare containers by volume <i>Examples: large coffee can, vegetable can, tomato sauce can, baby food jar</i>	Apply given measurements to formulas and simplify formulas with or without technology
M.3.G.3 Relate changes in the measurement of one <i>attribute</i> of an object to changes in other attributes (Ex. How does changing the <i>radius</i> or height of a cylinder affect its surface area or volume?)	Relate changes in the measurement of one attribute of an object to changes in other attributes	Choose appropriate size item for activity or task <i>Examples: face towel vs. bath towel, small can vs. large can, ruler vs. yard stick</i>	Compare by measuring given items to determine smaller from larger	Write ratios comparing items of different size	Solve problems involving ratios and proportions with or without technology



Relationships between two- and three-dimensions	Content Standard 4. Students will analyze characteristics and properties of two- and three-dimensional geometric shapes and develop mathematical arguments about geometric relationships.				
<i>Student Learning Expectation</i>	<i>Essence of Student Learning Expectation</i>	Less Complex  More Complex			
R.4.G.1 Explore and verify the properties of <i>quadrilaterals</i>	Explore and verify the properties of quadrilaterals	Recognize objects with four sides as a quadrilateral Examples: table, brick in wall, football field, floor and ceiling tile, window panes	Identify quadrilaterals from assorted shapes	Classify special quadrilaterals Examples: kite, trapezoid, parallelogram, rhombus, rectangle, square	Show that diagonals of a quadrilateral are congruent or not congruent by using manipulatives or by sketching
R.4.G.2 Solve problems using properties of polygons: <ul style="list-style-type: none"> • sum of the measures of the <i>interior angles of a polygon</i> • interior and <i>exterior angle measure of a regular polygon or irregular polygon</i> • number of sides or angles of a polygon 	Recognize polygons by the number of sides.	Identify polygons by definition Example: rectangle is a polygon, circle is not	Differentiate between polygons Examples: triangle, square, pentagon, hexagon, etc.	Match polygons with real world examples Examples: traffic signs, faces or sides of buildings	Identify polygons by sketching and labeling




Relationships between two- and three-dimensions	Content Standard 4. Students will analyze characteristics and properties of two- and three-dimensional geometric shapes and develop mathematical arguments about geometric relationships.				
<i>Student Learning Expectation</i>	<i>Essence of Student Learning Expectation</i>	Less Complex  More Complex			
R.4.G.3 Identify and explain why figures <i>tessellate</i>	Recognize repeating patterns of shapes that tessellate	Use manipulatives to form patterns Example: forming tessellations using polygons	Recognize patterns repeating as tessellations Examples: floor covering, ceiling tiles, wall paper, quilt blocks, etc.	Assemble tessellations using manipulatives	Create a tessellation
R.4.G.4 Identify the attributes of the five <i>Platonic Solids</i>	Investigate how faces of a Platonic Solid are joined and connected	Recognize the shape of the faces of a Platonic Solid	Assemble the net (2-dimensional pattern) of a 3-dimensional figure	Identify a net (2-dimensional pattern) of a 3-dimensional figure	Construct and/or identify the five Platonic Solids



Coordinate Geometry and Transformations		Content Standard 5. Students will specify locations, apply transformations and describe relationships using coordinate geometry.			
Student Learning Expectation	Essence of Student Learning Expectation	Less Complex  More Complex			
CGT.5.G.1 Use <i>coordinate geometry</i> to find the distance between two points, the <i>midpoint of a segment</i> , and the <i>slopes</i> of parallel, perpendicular, horizontal, and vertical lines	Use coordinate geometry (grid) to find the distance and midpoint of a segment	Recognize the given endpoints (horizontal or vertical) on a grid	Indicate the distance between the given endpoints (horizontal or vertical) on a grid	Identify the beginning, middle, and ending points of a given segment on a grid	Apply the distance and midpoint formulas to find the distance between two points and to find the midpoint
CGT.5.G.3 Determine, given a set of points, the type of figure based on its properties (<i>parallelogram, isosceles triangle, trapezoid</i>)	Identify the figure drawn from a given set of points	Match alike figure to a figure on a grid	Connect the points on a grid Example: dot to dot	Identify the figure with the appropriate term Example: matching	Identify appropriate figure with the parallel sides and slopes given
CGT.5.G.5 Draw and interpret the results of transformations and successive <i>transformations</i> on figures in the coordinate plane <ul style="list-style-type: none"> • <i>translations</i> • <i>reflections</i> • <i>rotations</i> (90°, 180°, clockwise and counterclockwise about the origin) • <i>dilations</i> (scale factor) 	Identify and complete simple change in the position of a figure	Recognize movement of an object from place to place	Demonstrate movement of objects or figures on coordinate plane Examples: slide, flip or turn an object or figure	Recognize the different types of transformations	Draw or sketch a transformation on a coordinate plane with or without technology



GEOMETRY Glossary




<i>Adjacent angles</i>	Two coplanar angles that share a vertex and a side but do not overlap
<i>Alternate interior angles</i>	Two nonadjacent angles that lie on opposite sides of a transversal between two lines that the transversal intersects <div style="text-align: center;">  </div>
<i>Altitude of a triangle</i>	A perpendicular segment from a vertex of a triangle to the line that contains the opposite side
<i>Angle</i>	Two non-collinear rays having the same vertex
<i>Angle of depression</i>	When a point is viewed from a higher point, the angle that the person's line of sight makes with the horizontal <div style="text-align: center;">  </div>
<i>Angle of elevation</i>	When a point is viewed from a lower point, the angle that the person's line of sight makes with the horizontal <div style="text-align: center;">  </div>




<i>Apothem</i>	<p>The distance from the center of a regular polygon to a side</p> 
<i>Arcs</i>	An unbroken part of a circle
<i>Area</i>	The amount of space in square units needed to cover a surface
<i>Attributes</i>	A quality, property, or characteristic that describes an item or a person (Ex. color, size, etc.)
<i>Biconditional</i>	A statement that contains the words “if and only if” (This single statement is equivalent to writing both “if p, then q” and its converse “if q then p.”)
<i>Bisector</i>	A segment, ray or line that divides into two congruent parts
<i>Center of a circle</i>	The point equal distance from all points on the circle
<i>Central angle</i>	<p>An angle whose vertex is the center of a circle (Its measure is equal to the measure of its intercepted arc.)</p> 




<i>Centroid</i>	<p>The centroid of the triangle is the point of concurrency of the medians of the triangle.</p> 
<i>Chords</i>	A segment whose endpoints lie on the circle
<i>Circle</i>	The set of all points in a plane that are an equal distance (radius) from a given point (the center) which is also in the plane
<i>Circumcenter</i>	<p>A circumcenter is the point of concurrency of the perpendicular bisectors of a triangle.</p> 
<i>Circumference</i>	The distance around a circle
<i>Circumscribed</i>	<p>A circle is circumscribed about a polygon when each vertex of the polygon lies on the circle. (The polygon is inscribed in the circle.)</p> 
<i>Collinear points</i>	Points in the same plane that lie on the same line
<i>Complementary angles</i>	Two angles whose measures add up to 90 degrees
<i>Concentric circles</i>	Concentric circles lie in the same plane and have the same center



<i>Conditional statements</i>	A statement that can be written in the form “if p, then q” (Statement p is the hypothesis and statement q is the conclusion.)
<i>Cone</i>	A three dimensional figure with one circle base and a vertex 
<i>Congruent</i>	Having the same measure
<i>Conjecture</i>	Something believed to be true but not yet proven (an educated guess)
<i>Consecutive angles</i>	In a polygon, two angles that share a side 
<i>Consecutive sides</i>	In a polygon, two sides that share a vertex
<i>Contrapositive</i>	The statement formed when you negate the hypothesis and conclusion of the converse of a conditional statement (“if p, then q” is the statement “if not q, then not p”)
<i>Converse</i>	The converse of the conditional statement interchanges the hypothesis and conclusion (“if p, then q, becomes “if q, then p”)
<i>Convex polygon</i>	A polygon in which no segment that connects two vertices can be drawn outside the polygon
<i>Coordinate geometry</i>	Geometry based on the coordinate system



<i>Coordinate plane</i>	A coordinate plane is formed by two real number lines that intersect at a right angle at the origin. The horizontal axis is the x-axis and the vertical axis is the y-axis (The axes divided the plane into 4 equal quadrants.)
<i>Coplanar points</i>	Points that lie in the same plane
<i>Corollary</i>	A corollary of a theorem is a statement that can easily be proven by using the theorem.
<i>Corresponding parts</i>	A side (or angle) of a polygon that is matched up with a side (or angle) of a congruent or similar polygon 
<i>Cosine</i>	In a right triangle, the ratio of the length of the leg adjacent to the angle to the length of the hypotenuse
<i>Cross-section</i>	A cross-section is the intersection of a solid and a plane.
<i>Cylinder</i>	A space figure whose bases are circles of the same size 
<i>Deductive reasoning</i>	Using facts, definitions, and accepted properties in a logical order to reach a conclusion or to show that a conjecture is always true
<i>Dilations</i>	Transformations producing similar but not necessarily congruent figures




<p><i>Exterior angle of a polygon</i></p>	<p>An angle formed when one side of the polygon is extended (The angle is adjacent to an interior angle of the polygon.)</p>  <p>The diagram shows a pentagon with one side extended downwards. An arrow points to the angle formed between the extension and the adjacent side, labeled "Exterior Angle".</p>
<p><i>Geometric mean</i></p>	<p>If a, b, and x are positive numbers, and $a/x = x/b$, then x is the geometric mean of a and b.</p>
<p><i>Incenter</i></p>	<p>The incenter of a triangle is the point of concurrency of the angle bisectors of the triangle.</p>  <p>The diagram shows a triangle with dashed lines representing angle bisectors from each vertex. These bisectors intersect at a central point labeled "Incenter".</p>
<p><i>Inductive reasoning</i></p>	<p>A type of reasoning in which a prediction or conclusion is based on an observed pattern</p>
<p><i>Inscribed angle</i></p>	<p>An angle whose vertex is on a circle and whose sides are chords of the circle</p>  <p>The diagram shows a circle with a central dot representing the center. Two chords are drawn from a single vertex on the circle's circumference to two other points on the circle, forming an inscribed angle.</p>




<i>Inscribed circle</i>	A circle is inscribed in a polygon if the sides of the polygon are tangent to the circle. 
<i>Inscribed polygon</i>	A polygon is inscribed in a circle if the vertices of the polygon are on the circle. 
<i>Interior angles of a polygon</i>	The inside angle of a polygon formed by two adjacent sides
<i>Inverse statement</i>	The statement formed when you negate the hypothesis and conclusion of a conditional statement ("if p, then q" is the statement "if not p, then not q")
<i>Irregular polygon</i>	A polygon where all sides and angles are not congruent
<i>Isometric drawings</i>	Drawings on isometric dot paper used to show 3-dimensional objects
<i>Isosceles triangle</i>	A triangle with at least two sides congruent
<i>Line of symmetry</i>	A line that a figure in the plane has if the figure can be mapped onto itself by a reflection in the line
<i>Linear pair of angles</i>	Two adjacent angles form a linear pair if their non-shared rays form a straight angle. 
<i>Matrix logic</i>	Using a matrix to solve logic problems



<i>Median of a triangle</i>	<p>A segment that has as its endpoints a vertex of the triangle and the midpoint of the opposite side</p> 
<i>Midpoint of a segment</i>	<p>The point that divides a segment into two congruent segments</p>
<i>Midsegment</i>	<p>A segment whose endpoints are the midpoints of two sides of a polygon</p> 
<i>Orthocenter</i>	<p>The orthocenter is the point of concurrency of the altitudes of a triangle.</p> 
<i>Orthographic drawings</i>	<p>An orthographic drawing is a two-dimensional drawing that shows the top view, front view and right side view of a three-dimensional figure.</p>
<i>Parallel lines</i>	<p>Lines in a plane that never intersect</p>
<i>Parallelogram</i>	<p>A quadrilateral with both pairs of opposite sides parallel</p>

<i>Perimeter</i>	The distance around a polygon
<i>Perpendicular bisector</i>	The perpendicular bisector of a segment is a line, segment or ray that is perpendicular to the segment at its midpoint. 
<i>Perpendicular</i>	Two lines, segments, rays, or planes that intersect to form right angles
<i>Planes</i>	A flat surface having no boundaries
<i>Platonic solid</i>	A polyhedron all of whose faces are congruent regular polygons, and where the same number of faces meet at every vertex 
<i>Point</i>	A specific location in space
<i>Polygon</i>	A closed plane figure whose sides are segments that intersect only at their endpoints with each segment intersecting exactly two other segments
<i>Postulates</i>	A mathematical statement that is accepted without proof

<i>Prism</i>	<p>A three-dimensional figure--with two congruent faces called bases--that lies in parallel planes (The other faces called lateral faces are rectangles that connect corresponding vertices of the bases.)</p> 
<i>Pyramid</i>	<p>A three-dimensional figure with one base that is a polygon (The other faces, called lateral faces, are triangles that connect the base to the vertex.)</p> 
<i>Quadrilateral</i>	A four-sided polygon
<i>Radius</i>	A line segment having one endpoint at the center of the circle and the other endpoint on the circle
<i>Reflections</i>	Mirror images of a figure (Objects stay the same size and shape, but their positions change through a flip.)
<i>Regular octagon</i>	An octagon with all sides and angles congruent
<i>Regular polygon</i>	A polygon with all sides and angles congruent
<i>Rotations</i>	A transformation in which every point moves along a circular path around a fixed point called the center of rotation
<i>Scale drawings</i>	Pictures that show relative sizes of real objects

Secants	<p>A line, ray or segment that intersects a circle at two points</p> 
Similarity	The property of being similar
Similar polygons	<p>Two polygons are similar if corresponding angles are congruent and the lengths of corresponding sides are in proportion.</p> 
Sine	In a right triangle, the ratio of the length of the leg opposite the angle to the length of the hypotenuse
Slope	The ratio of the vertical change to the horizontal change
Slope-intercept form	A linear equation in the form $y = mx + b$, where m is the slope of the graph of the equation and b is the y intercept
Special right triangles	<p>A triangle whose angles are either 30-60-90 degrees or 45-45-90 degrees</p> 

<i>Spheres</i>	The set of all points in space equal distance from a given point 
<i>Standard form of a linear equation</i>	The form of a linear equation $Ax + By = C$ where A, B, and C are real numbers and A and C are not both zero Ex. $6x + 2y = 10$
<i>Supplementary angles</i>	Two angles whose measures add up to 180 degrees
<i>Surface area</i>	The area of a net for a three-dimensional figure
<i>Tangent</i>	In a right triangle, the ratio of the length of the leg opposite the angle to the length of the leg adjacent to the angle
<i>Tangent to a circle</i>	A line in the plane of the circle that intersects the circle in only one point 
<i>Tessellate</i>	A pattern of polygons that covers a plane without gaps or overlaps 
<i>Theorems</i>	A conjecture that can be proven to be true
<i>Transformation</i>	A change made to the size or position of a figure
<i>Translation</i>	A transformation that slides each point of a figure the same distance in the same direction

<i>Transversal</i>	<p>A line that intersects two or more other lines in the same plane at different points</p> 
<i>Triangle Inequality Theorem</i>	<p>The sum of the lengths of any two sides of a triangle is greater than the length of the third side.</p>
<i>Trigonometric ratios</i>	<p>The sine, cosine and tangent ratios</p>
<i>Venn diagram</i>	<p>A display that pictures unions and intersections of sets</p>
<i>Vertical angles</i>	<p>Non-adjacent, non-overlapping congruent angles formed by two intersecting lines (They share a common vertex.)</p>  <p>$\angle 1$ and $\angle 3$ are vertical angles. $\angle 2$ and $\angle 4$ are vertical angles.</p>
<i>Volume</i>	<p>The number of cubic units needed to fill a space</p>

MANIPULATIVES TO CONCEPTS

The following is a listing of SOME of the concepts that can effectively be taught using the given manipulatives.

Manipulative	Concepts
Algebra Tiles	Integers, equations, inequalities, polynomials, similar terms, factoring, estimation
Attribute Blocks	Sorting, classification, investigation of size, shape, color, logical reasoning, sequencing, patterns, symmetry, similarity, congruence, thinking skills, geometry, organization of data
Balance Scale	Weight, mass, equality, inequality, equations, operations on whole numbers, estimation, measurement
Base-Ten blocks	Place value, operations on whole numbers, decimals, decimal-fractional-percent equivalencies, comparing, ordering, classifications, sorting, number concepts, square and cubic numbers, area, perimeter, metric measurement, polynomial
Calculators	Problems with large numbers, problem solving, interdisciplinary problems, real-life problems, patterns, counting, number concepts, estimation, equality, inequality, fact <i>strategies</i> , operations on whole numbers, decimals, fractions
Capacity Containers	Measurement, capacity, volume, estimation
Clocks	Time, multiplication, fractions, modular arithmetic, measurement
Color Tiles	Color, shape, patterns, estimation, counting, number concepts, equality, inequality, operations on whole numbers and fractions, probability, measurement, area, perimeter, surface area, even and odd numbers, prime and composite numbers, ratio, proportion, percent, integers, square and cubic numbers, spatial visualization
Compasses	Constructions, angle measurement
Cubes	Number concepts, counting, place value, fact <i>strategies</i> – especially turnaround facts, classification, sorting, colors, patterns, square and cubic numbers, equality, inequalities, averages, ratio, proportion, percent, symmetry, spatial visualization, area, perimeter, volume, surface area, transformational geometry, operations on whole numbers and fractions, even and odd numbers, prime and composite numbers, probability
Cuisenaire Rods	Classification, sorting, ordering, counting, number concepts, comparisons, fractions, ratio, proportion, place value, patterns, even and odd numbers, prime and composite numbers, logical reasoning, estimation, operations on whole numbers
Decimal Squares	Decimals – place value, comparing, ordering, operations, classification, sorting, number concepts, equality, inequality, percent, perimeter, area
Dominoes	Counting, number concepts, fact <i>strategies</i> , classification, sorting, patterns, logical reasoning, equality, inequality, mental math, operations on whole numbers

Fraction Models	Fractions – meaning, recognition, classification, sorting comparing, ordering, number concepts, equivalence, operations, perimeter, area, percent, probability
Geoboards	Size, shape, counting, area, perimeter, circumference, symmetry, fractions, coordinate geometry, slopes, angles, Pythagorean Theorem, estimation, percent, similarity, congruence, rotations, reflections, translations, classification, sorting, square numbers, polygons, spatial visualization, logical reasoning
Geometric Solids	Shape, size, relationships between area and volume, volume, classification, sorting, measurement, spatial visualization
Math Balance Invicta, number	Equality, inequality, operations on whole numbers, open sentences, equations, place value, fact <i>strategies</i> , measurement, logical reasoning
Miras	Symmetry, similarity, congruence, reflections, rotations, translations, angles, parallel and perpendicular lines, constructions
Money	Money, change, comparisons, counting, classifications, sorting, equality, inequality, operations on whole numbers, decimals, fractions, probability, fact <i>strategies</i> , number concepts
Number Cubes	Counting, number concepts, fact <i>strategies</i> , mental math, operations on whole numbers, fractions, decimals, probability, generation of problems, logical reasoning
Numeral Cards	Counting, classification, sorting, comparisons, equality, inequality, order, fact <i>strategies</i> , number concepts, operations on whole numbers, fractions, decimals, logical reasoning, patterns, odd and even numbers, prime and composite numbers
Pattern blocks	Patterns, one-to-one correspondence, sorting, classification, size, shape, color, geometric relationships, symmetry, similarity, congruence, area, perimeter, reflections, rotation, translations, problem solving, logical reasoning, fractions, spatial visualization, tessellations, angles, ratio, proportions
Polyhedra Models	Shape, size, classification, sorting, polyhedra, spatial visualization
Protractors	Constructions, angle measurement
Rulers Tape Measures	Measurement, area, perimeter, constructions, estimation, operations on whole numbers, volume
Spinners	Counting, number concepts, operations on whole numbers, decimals, fractions, fact <i>strategies</i> , mental math, logical reasoning, probability, generation of problems
Tangrams	Geometric concepts, spatial visualization, logical reasoning, fractions, similarity, congruence, area, perimeter, ratio, proportion, angles, classification, sorting, patterns, symmetry, reflections, translations, rotations
Ten-frames	Fact <i>strategies</i> , mental math, number concepts, counting, equality, inequality, place value, patterns, operations on whole numbers
Thermometers	Temperature, integers, measurement
Two-Color Counters	Counting, comparing, sorting, classification, number concepts, fact <i>strategies</i> , even and odd numbers, equality, inequality, operations, ratio, proportions, probability, integers

CONCEPTS TO MANIPULATIVES

The following is a listing of SOME of the manipulatives that can effectively be used to teach the given concept.

Concepts	Manipulative
Angles	Protractors, compasses, geoboards, miras, rulers, tangrams, pattern blocks
Area	Geoboards, color tiles, base-ten blocks, decimal squares, cubes, tangrams, pattern blocks, rulers, fraction models
Classification, sorting	Attribute blocks, cubes, pattern blocks, tangrams, 2-color counters, Cuisenaire rods, dominoes, geometric solids, money, numeral cards, base-ten materials, polyhedra models, geoboards, decimal squares, fraction models
Coordinate Geometry	geoboards
Constructions	Compasses, protractors, rulers, miras
Counting	Cubes, 2-color counters, color tiles, Cuisenaire rods, dominoes, numeral cards, spinners, 10-frames, number cubes, money calculators
Decimals	Decimal squares, base-ten blocks, money, calculators, number cubes, numeral cards, spinners
Equations/inequalities Equality/inequality Equivalence	Algebra tiles, math balance, calculators, 10-frames, balance scale, color tiles, dominoes, money, numeral cards, 2-color counters, cubes, Cuisenaire rods, decimal squares, fraction models
Estimation	Color tiles, geoboards, balance scale, capacity containers, rulers, Cuisenaire rods, calculators
Factoring	Algebra tiles
Fact Strategies	10-frames, 2-color counters, dominoes, cubes, numeral cards, spinners, number cubes, money, math balance, calculators
Fractions	Fraction models, pattern blocks, base-ten materials, geoboards, clocks, color tiles, cubes, Cuisenaire rods, money, tangrams, calculators, number cubes, spinners, 2-color counters, decimal squares, numeral cards
Integers	2-color counters, algebra tiles, thermometers, color tile
Logical reasoning	Attribute blocks, Cuisenaire rods, dominoes, pattern blocks, tangrams, number cubes, spinners, geoboards
Mental Math	10-frames, dominoes, number cubes, spinners
Money	Money
Number Concepts	Cubes, 2-color counters, spinners, number cubes, calculators, dominoes, numeral cards, base-ten materials, Cuisenaire rods, fraction models, decimal squares, color tiles, 10-frames, money
Odd, Even, Prime, Composite	Color tiles, cubes, Cuisenaire rods, numeral cards, 2-cold counters
Patterns	Pattern blocks, attribute blocks, tangrams, calculators, cubes, color tiles, Cuisenaire rods, dominoes,

	numeral cards, 10-frames
Percent	Base-ten materials, decimal squares, color tiles, cubes, geoboards, fraction models
Perimeter/Circumference	Geoboards, color tiles, tangrams, pattern blocks, rulers, base-ten materials, cubes, fraction circles, decimal squares
Place Value	Base-ten materials, decimal squares, 10-frames, Cuisenaire rods, math balance, cubes, 2-color counters
Polynomials	Algebra tiles, base-ten materials
Pythagorean Theorem	Geoboards
Ratio/Proportion	Color tiles, cubes, Cuisenaire rods, tangrams, pattern blocks, 2-color counters
Similarity/Congruence	Geoboards, attribute blocks, pattern blocks, tangrams, miras
Size/Shape/color	Attribute blocks, cubes, color tiles, geoboards, geometric solids, pattern blocks, tangrams, polyhedra models
Spatial Visualization	Tangrams, pattern blocks, geoboards, geometric solids, polyhedra models, cubes, color tiles
Square/Cubic numbers	Color tiles, cubes, base-ten materials, geoboards
Surface area	Color tiles, cubes
Symmetry	Geoboards, pattern blocks, tangrams, miras, cubes, attribute blocks
Tessellations	Pattern blocks, attribute blocks
Transformational geometry, translations, rotations, reflections	Geoboards, cubes, miras, pattern blocks, tangrams
Volume	Capacity containers, cubes, geometric solids, rulers
Whole Numbers	Base-ten materials, balance scale, number cubes, spinners, color tiles, cubes, math balance, money, numeral cards, dominoes, rulers, calculators, 10-frames, Cuisenaire rods, clocks, 2-color counters

